





Safety Data Sheet (SDS) - WT-103 Clear Flame Retardant Matte Coating

1. Identification

Product Identifier WT-103 Flame Retardant Clear-Matte Coating

Other means of Identification Flame retardant coating.

Recommended use Refer to manufacturer sell sheet Recommended restrictions Refer to manufacturer sell sheet

Manufacturer name Firetect, Inc.

Address 28298 Constellation Rd. Valencia, CA 91355

Country USA

Phone 661-295-3473 Fax 661-295-3880 E-mail info@firetect.com Website www.firetect.com

2. Hazard(s) Identification

Emergency overview Irritant.

Classification

Hazard symbol Category 5. No symbol.

Signal word Warning

Potential health effects

Inhalation Over-exposure may cause irritation. If not breathing, give artificial respiration; seek medical attention.

Eyes/Skin Cleanse affected areas with mild soap and water. If irritation develops, seek medical attention.

If drowsy or unconscious, place victim on left side with head down. Do not give anything by mouth; seek medical

Ingestion attention.

No known significant environmental effects. **Environmental hazards**

NFPA/HMIS classification

Health: 0 Flammability: 0 Reactivity: 0

0-Least, 1-Slight, 2-Moderate, 4-Extreme

3. Composition/ **Chemical name CAS** number Water Information on Ammonium ingredients

7732-18-5 45-56% 68333-79-9 18-25% Polyphosphate

1910.1200)

Other ingredients (Trade secret per 29 CFR

19-37%

Percent

NO REPORTABLE HAZARDOUS INGREDIENTS

4. First-aid measures

Inhalation Remove person to fresh air. If necessary, seek advice of a physician. **Skin contact** Wash skin with soap and water. Launder clothing before reuse.

Eye contact

In case of eye contact, flush with running water for at least 15 minutes. If irritation persists, seek advice of a

Ingestion If swallowed, induce vomiting and seek medical attention.

5. Fire-fighting measures

Suitable extinguishing media For dry solids use water foam CO2 or dry chemical fire-fighting apparatus.

Unsuitable extinguishing media Specific hazards arising from the substance None.

Special protective equipment and

or mixture

Closed container exposed to heat may cause rupture due to pressure build-up.

precautions for fire-fighters 6. Accidental release measures

Personnel precautions

Environmental precautions Avoid runoff into storm sewers, ditches, and waterways.

Flush spilled material into suitable retaining areas or containers with large quantities of water. Small amounts may be absorbed into appropriate absorbent. Dispose of product in accordance with applicable local, county, Cleanup measures

state and federal regulation.

7. Handling and storage

Precautions for safe handling Avoid breathing mist. Avoid prolonged skin contact.

Engineering controls If sprayed inside, use local exhaust ventilation. Otherwise, general ventilation is adequate.

Conditions for safe storage Store upright in original sealed containers and in a cool, dry location away from light and strong frost.

Storage temperature Store between 40°F and 80°F. Do not freeze.

Shelf life Shelf life is one year, if stored properly. Once container is opened, chemical must be used completely.

11/21/2023 Page 1 of 2

www.firetect.com | Firetect™, Inc. 28298 Constellation Road, Valencia, CA 91355

8. Exposure controls/PPE

VOC 47 Grams/Liter

Use appropriate engineering controls such as proper ventilation. Where such systems are not effective, wear **Exposure Controls**

suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized

Eye/Face protection

Wear goggles to avoid overspray and splashing. Eye and face protection should be in accordance with OSHA 29

CFR 1910.133.

Hand/Arm protection

Rubber or plastic gloves are recommended

Respiratory protection Not mandatory.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Color Milky white (clears as it dries).

Odor Very faint odor. Odor threshold Not applicable.

6.5

% volatile by vol

Freezing point 32°F **Boiling point** 212°F Specific gravity 1.08

Evaporation rate Less than water.

Vapor pressure

Vapor density Equal to water.

10. Stability and reactivity

Reactivity None. **Chemical stability** Stable. Incompatible materials None. **Decomposition materials** None

11. Toxicological information

Acute toxicity

Potential health effects

Inhalation May be harmful if inhaled. Short-term exposure may cause irritation of nose, throat and lungs.

Eyes/Skin May be harmful in contact with eyes/skin. Short-term exposure may cause irritation.

Ingestion May be harmful if swallowed. Possible stomach irritation and nausea.

12. Ecological information

Ecotoxicity No data available Persistence and degradability No data available. Bioaccumulate potential No data available. Mobility in soil No data available. Other adverse effects No data available.

13. Disposal considerations

Do not discard product into storm or waste water sewer systems. Dispose of product in accordance with Waste disposal of product

applicable local, county, state and federal regs.

Contaminated packaging Dispose of in accordance with federal, state, and local regulations.

Plastic pails are recyclable. Rinse well before recycling or disposal. Dispose of in accordance with federal, state, and local **Container disposal**

regulations. Contact local authorities for further information.

14. Transport information

Land transport USDOT Non-hazardous product. Not regulated. Marine transport IMDG Non-hazardous product. Not regulated. Air transport IATA Non-hazardous product. Not regulated.

15. Regulatory information

Additional safety, health and environmental regulations

16. Other information Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200 and prepared to GHS.

Prepared by Firetect ®, Inc.

Disclaimer It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to

assume liability for loss, injury, damage or expense due to improper use. The information given is presented in good faith and believed to be correct as of the date hereof, based on available data, material components, and similar materials. Firetect®, Inc. cannot anticipate conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used.

11/21/2023